| | Application No. | Applicant(s) | ~ |
|---|--|--|-------------------------|
| Notice of Allowability | 10/667,568 | WIERES ET AL. | |
| | Examiner | Art Unit | |
| | Jason L Savage | 1775 | • |
| The MAILING DATE of this communication All claims being allowable, PROSECUTION ON THE MERI herewith (or previously mailed), a Notice of Allowance (PTO NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATE of the Office or upon petition by the applicant. See 37 CFR | IS IS (OR REMAINS) CLOSED L-85) or other appropriate commet NT RIGHTS. This application is | in this application. If not inclunumication will be mailed in du | ided ie course. THIS |
| 1. This communication is responsive to <u>Amendment file</u> | <u>d 12-9-04</u> . | | |
| 2. The allowed claim(s) is/are <u>1-12 and 15-41</u> . | | | • |
| 3. The drawings filed on 22 September 2003 are accept | ted by the Examiner. | | |
| 4. Acknowledgment is made of a claim for foreign prio a) All b) Some* c) None of the: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the prior | s have been received. s have been received in Applicat | ion No. <u>09/917,555</u> . | cation from the |
| International Bureau (PCT Rule 17.2(a)). | • | sa in this national stage applic | |
| * Certified copies not received: | | | |
| Applicant has THREE MONTHS FROM THE "MAILING Dancted below. Failure to timely comply will result in ABAND THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. | | le a reply complying with the i | requirements |
| 5. A SUBSTITUTE OATH OR DECLARATION must be INFORMAL PATENT APPLICATION (PTO-152) which | | | NOTICE OF |
| 6. CORRECTED DRAWINGS (as "replacement sheets" | ') must be submitted. | | • |
| (a) I including changes required by the Notice of Draft | tsperson's Patent Drawing Revie | ew (PTO-948) attached | |
| 1) hereto or 2) to Paper No./Mail Date _ | · | | |
| (b) including changes required by the attached Example Paper No./Mail Date | niner's Amendment / Comment | or in the Office action of | |
| Identifying indicia such as the application number (see 37 each sheet. Replacement sheet(s) should be labeled as such | CFR 1.84(c)) should be written on ch in the header according to 37 C | the drawings in the front (not t FR 1.121(d). | the back) of |
| 7. DEPOSIT OF and/or INFORMATION about the attached Examiner's comment regarding REQUIREM | deposit of BIOLOGICAL MATEENT FOR THE DEPOSIT OF B | ΓERIAL must be submitted IOLOGICAL MATERIAL. | l. Note the |
| | • | | |
| Attachment(s) 1. ⊠ Notice of References Cited (PTO-892) | 5. ☐ Notice of | Informal Patent Application (P | PTO-152) |
| 2. Notice of Draftperson's Patent Drawing Review (PTO- | 948) 6. 🗌 Interview | Summary (PTO-413), | • |
| 3. Information Disclosure Statements (PTO-1449 or PTC | | o./Mail Date 's Amendment/Comment | |

of Biological Material

3.
Information Disclosure Statements (PTO-1449 or PTO/SB/08),

Paper No./Mail Date _____

4. Examiner's Comment Regarding Requirement for Deposit

8.

Examiner's Statement of Reasons for Allowance

9. Other ____.

Application/Control Number: 10/667,568

Art Unit: 1775

1. Claims 1-12 and 15-41 are allowed.

2. The following is an examiner's statement of reasons for allowance:

Although the instant claims are similar to the co-inventive Patent of Wieres et al. (US 6,598,782), the claims are not considered a case for obviousness double patenting.

The claimed invention in the instant Application differs from the claims in Wieres in that the Wieres claims requires that a second brazing medium particle fraction be applied whereas the present invention only applies a single particle fraction (Wieres - claim 1). Furthermore, Wieres claims that there is a Gaussian distribution in percent for a respective portion of the diameter disposed substantially centrally between the maximum and the minimum particle diameters disclosed (Wieres - claim 3). Wieres discloses that this two-step method of applying the particle fraction provides the unexpected results over a single brazing step in that a better durability was obtained as well as a better control of the amount of the brazing medium being introduced (col. 5, In. 50-67).

Given these differences, the Wieres Patent is not considered a case for obvious double patenting since there is not any motivation in the reference to employ a braze using a single particle fraction given the improvement in properties of the two-step braze method claimed by Wieres and further given that the Wieres claims require a Gaussian distribution of the particle diameters.

3. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should

Page 3

Application/Control Number: 10/667,568

Art Unit: 1775

preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

4. Any inquiry to this communication or earlier communications from the Examiner should be directed to Jason Savage, whose telephone number is (571)272-1542. The Examiner can normally be reached Monday to Friday from 6:30 AM to 4:00 PM.

If attempts to reach the Examiner by telephone are unsuccessful, the Examiner's supervisor, Deborah Jones, can be reached on (571)272-1535.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Jason Savage

2-21-05

PRIMARY EXAMINE